

FOR SALES EMAIL - sales@ramsheadservice.com.au OR CALL (02) 4577 6099 & ASK FOR Jim (APR 2018) prices



AV&V PART #	DESCRIPTION	QTY	MODEL/YEAR	RRP \$ AUD
	VALVES INTAKE / EXHAUST / APPLICATION			INC GST
AV33	AV&V Valve Exhaust, Head Dia 33mmx 102.6mm x 6mm +1mm Highflow, Chrome,Trippl Groove	1	MILWAULKEE 8	\$ 45.90
AV41	AV&V Valve Intake, Head Dia 41mmx 102.1mm x 6mm +1mm Highflow, Chrome,Trippl Groove	1	MILWAUKEE 8	\$ 45.90
AV34-6TGC	AV&V, Valve, Exhaust, Head Dia. 34.4MM, Overall length 116.9MM, Stem Dia. .2346", Tip Length .070" Chrome, Triple Groove	1	V-ROD	\$ 40.95
AV35-6TGC	AV&V, Valve, Exhaust, Head Dia. 35.4MM, Overall length 116.9MM, Stem Dia. .2346", Tip Length .070" Chrome, Triple Groove	1	V-ROD	\$ 40.95
AV40-6TGC	AV&V, Valve, Intake, Head Dia. 40MM, Overall length 116.28MM, Stem Dia. .2351", Tip Length .070" Chrome, Triple Groove	1	V-ROD	\$ 40.95
AV41-6TGC	AV&V, Valve, Intake, Head Dia. 41MM, Overall length 116.28MM, Stem Dia. .2351", Tip Length .070" Chrome, Triple Groove	1	V-ROD	\$ 40.95
AV1355	AV&V, Valve, Exhaust, Head Dia. 1.355", Overall length 4.635", Stem Dia. .3106", Tip Length .200" Black nitride, Single Groove	1	REPLACEMENT VALVE FOR 883 SPORTSTER	\$ 40.95
AV1480	AV&V, Valve, Exhaust, Head Dia. 1.480", Overall length 4.640", Stem Dia. .3106", Tip Length .200" Black nitride, Single Groove (5/16 stem)	1	SPORTSTER 883 TO 1200 CONVERSION (5/16 STEM)	\$ 40.95
AV1485	AV&V, Valve, Exhaust, Head Dia. 1.485", Overall length 4.560", Stem Dia. .3106", Tip Length .200" Black nitride, Single Groove (5/16 stem)	1	SPORTSTER 1200 & BUELL (5/16 STEM)	\$ 40.95
AV1485-7TGB	AV&V, Valve, Exhaust, Head Dia. 1.485", Overall length 4.680", Stem Dia. .2755", Tip Length .085" Black nitride, Triple Groove	1	SPORTSTER 883 TO 1200 CONVERSION 2004-2014	\$ 44.90
AV1575-7TGB	AV&V, Valve, Exhaust, Head Dia. 1.575", Overall length 4.560", Stem Dia. .2755", Tip Length .085" Black nitride, Triple Groove	1	TRIPLE GROOVE,TWIN CAM	\$ 40.95
AV1575-7TGC	AV&V, Valve, Exhaust, Head Dia. 1.575", Overall length 4.560", Stem Dia. .2755", Tip Length .085" Chrome, Triple Groove	1	TRIPLE GROOVE,TWIN CAM	\$ 40.95
AV1576-7TGB	AV&V, Valve, Exhaust, Head Dia. 1.575", Overall length 4.620", Stem Dia. .2755", Tip Length .085" Black Nitride, Triple Groove,(7mm Stem)	1	SPORTSTER 1200 & BUELL XB9 /XB12 (7MM STEM)	\$ 40.95
AV1580	AV&V, Valve, Exhaust, Head Dia. 1.580", Overall length 4.575", Stem Dia. .3106", Tip Length .200" Chrome, Single Groove, (5/16 stem)	1	SPORTSTER 1200 & BUELL (5/16 STEM)	\$ 59.90
AV1585	AV&V, Valve, Exhaust, Head Dia. 1.585", Overall length 4.505", Stem Dia. .3106", Tip Length .200" Black Nitride	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 40.95

AV1590	AV&V, Valve, Intake, Head Dia. 1.590", Overall length 4.550", Stem Dia. .3108", Tip Length .200" Black Nitride	1	SINGLE GROOVE,REPLACEMENT VALVE FOR 883 SPORTSTER	\$ 40.95
AV1610D	AV&V, Valve, Exhaust, Head Dia. 1.610", Overall length 4.510", Stem Dia. .3106", Tip Length .200" Black Nitride, Single Groove	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 40.95
AV1610S	AV&V, Valve, Exhaust, Head Dia. 1.610", Overall length 4.565", Stem Dia. .3106", Tip Length .200" Black Nitride, Single Groove	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 55.90
AV1610-7TGB	AV&V, Valve, Exhaust, Head Dia. 1.610", Overall length 4.545", Stem Dia. .2755", Tip Length .085" Black Nitride	1	TRIPLE GROOVE,TWIN CAM	\$ 40.95
AV1610-7TGC	AV&V, Valve, Exhaust, Head Dia. 1.610", Overall length 4.545", Stem Dia. .2755", Tip Length .085" Chrome	1	TRIPLE GROOVE,TWIN CAM	\$ 40.95
AV1650	AV&V, Valve, Exhaust, Head Dia. 1.650", Overall length 4.515", Stem Dia. .3106", Tip Length .200" Black Nitride	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 55.90
AV1700BC	AV&V, Valve Blank, Exhaust, Head Dia. 1.700", Overall length 5.700", Stem Dia. .3106", No Tip Chrome, No Groove	1	BLANK VALVE BI-METAL	\$ 55.90
AV1700C	AV&V, Valve, Exhaust, Head Dia. 1.700", Overall length 4.445", Stem Dia. .3106", Tip Length .200" Chrome	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 58.90
AV1700A	AV&V, Valve, Exhaust, Head Dia. 1.700", Overall length 4.535", Stem Dia. .3106", Tip Length .235" Black Nitride	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 58.90
AV1700U	AV&V, Valve, Exhaust, Head Dia. 1.700", Overall length 4.655", Stem Dia. .3106", Tip Length .200" Black Nitride	1	SINGLE GROOVE,EVOLUTION BIG TWIN & TWIN CAM	\$ 44.90
AV1720	AV&V, Valve, Intake, Head Dia. 1.720", Overall length 4.560", Stem Dia. .3108", Tip Length .200" Black Nitride	1	SINGLE GROOVE,SPORTSTER 883 TO 1200 CONVERSION (5/16 STEM)	\$ 40.95
AV1720B	AV&V, Valve, Intake, Head Dia. 1.720", Overall length 4.480", Stem Dia. .3108", Tip Length .200" Black Nitride	1	SINGLE GROOVE,SPORTSTER 1200 & BUELL (5/16 STEM)	\$ 55.90
AV1725-7TGB	AV&V, Valve, Intake, Head Dia. 1.725", Overall length 4.580", Stem Dia. .2757", Tip Length .085" Black Nitride, Triple Groove	1	TRIPLE GROOVE,SPORTSTER 883 TO 1200 CONVERSION 2004-2014	\$ 40.95
AV1770	AV&V, Valve, Intake, Head Dia. 1.770", Overall length 4.480", Stem Dia. .3108", Tip Length .200" Black Nitride	1	SINGLE GROOVE,SPORTSTER 1200 & BUELL (5/16 STEM)	\$ 55.90
AV1810-7TGB	AV&V, Valve, Intake, Head Dia. 1.810", Overall length 4.455", Stem Dia. .2757", Tip Length .085" Black Nitride	1	TRIPPLE GROOVE, TWIN CAM	\$ 40.95
AV1810-7TGC	AV&V, Valve, Intake, Head Dia. 1.810", Overall length 4.455", Stem Dia. .2757", Tip Length .085" Chrome	1	TRIPLE GROOVE,TWIN CAM,	\$ 40.95
AV1811-7TGB	AV&V, Valve, Intake, Head Dia. 1.810", Overall length 4.480", Stem Dia. .2757", Tip Length .085" Black Nitride, triple Groove	1	SPORTSTER 1200 & BUELL XB9 /XB12 (7MM STEM)	\$ 46.90
AV1813	AV&V, Valve, Intake, Head Dia. 1.812", Overall length 4.485", Stem Dia. .3108", Tip Length .200" Chrome, Single Groove	1	EVO BIG TWIN, TWIN CAM, SPORTSTER 1200 & BUELL (5/16 STEM)	\$ 58.90
AV1850-7TGB	AV&V, Valve, Intake, Head Dia. 1.850", Overall length 4.455", Stem Dia. .2757", Tip Length .085" Black Nitride	1	TRIPLE GROOVE,TWIN CAM	\$ 40.95
AV&V PART #	DESCRIPTION	QTY	MODEL/YEAR	RRP \$ AUD
	VALVES INTAKE / EXHAUST / APPLICATION			INC GST
AV1850-7TGC	AV&V, Valve, Intake, Head Dia. 1.850", Overall length 4.455", Stem Dia. .2757", Tip Length .085" Chrome	1	TRIPPLE GROOVE, TWIN CAM	\$ 40.95

AV1851	AV&V, Valve, Intake, Head Dia. 1.851", Overall length 4.485", Stem Dia. .3108", Tip Length .200" Chrome, Single Groove	1	SPORTSTER 1200 & BUELL (5/16 STEM)	\$ 58.90
AV1851-7TGB	AV&V, Valve, Intake, Head Dia. 1.851", Overall length 4.520", Stem Dia. .2757", Tip Length .085" Black Nitride, Triple Groove	1	SPORTSTER 1200 & BUELL XB9 /XB12 (7MM STEM)	\$ 47.95
AV1900	AV&V, Valve, Intake, Head Dia. 1.900", Overall length 4.440", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 40.95
AV1900-7TGB	AV&V, Valve, Intake, Head Dia. 1.900", Overall length 4.445", Stem Dia. .2757", Tip Length .085" Black Nitride	1	TRIPLE GROOVE TWIN CAM	\$ 40.95
AV1900-7TGC	AV&V, Valve, Intake, Head Dia. 1.900", Overall length 4.445", Stem Dia. .2757", Tip Length .085" Chrome	1	TRIPLE GROOVE TWIN CAM	\$ 40.95
AV1900S	AV&V, Valve, Intake, Head Dia. 1.900", Overall length 4.415", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 40.95
AV1940	AV&V, Valve, Intake, Head Dia. 1.940", Overall length 4.440", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 41.95
AV1980-7TGB	AV&V, Valve, Intake, Head Dia. 1.980", Overall length 4.455", Stem Dia. .2757", Tip Length .085" Black Nitride	1	TRIPPLE GROOVE, TWIN CAM	\$ 44.90
AV1990	AV&V, Valve, Intake, Head Dia. 1.990", Overall length 4.440", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 44.90
AV2020	AV&V, Valve, Intake, Head Dia. 2.020", Overall length 4.490", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 44.90
AV2020A	AV&V, Valve, Intake, Head Dia. 2.020", Overall length 4.440", Stem Dia. .3108", Tip Length .230" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 44.90
AV2020S	AV&V, Valve, Intake, Head Dia. 2.020", Overall length 4.510", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 55.90
AV2060LC	AV&V, Valve, Intake, Head Dia. 2.060", Overall length 4.510", Stem Dia. .3108", Tip Length .200" Chrome, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 55.90
AV2100	AV&V, Valve, Intake, Head Dia. 2.100", Overall length 4.475", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 55.90
AV2100BC	AV&V, Valve Blank, Intake, Head Dia. 2.100", Overall length 5.700", Stem Dia. .3108", No Tip Chrome, No Groove, bi-metal	1	BI-METAL	\$ 55.90
AV2100S	AV&V, Valve, Intake, Head Dia. 2.100", Overall length 4.570", Stem Dia. .3108", Tip Length .200" Chrome, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 55.90
AV2100U	AV&V, Valve, Intake, Head Dia. 2.100", Overall length 4.590", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 42.95
AV2150	AV&V, Valve, Intake, Head Dia. 2.150", Overall length 4.480", Stem Dia. .3108", Tip Length .200" Chrome, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM	\$ 58.90
AV2200BC	AV&V, Valve Blank, Intake, Head Dia. 2.200", Overall length 5.700", Stem Dia. .3108", No Tip Chrome, No Groove, bi-metal	1	BLANK VALVE BI-METAL	\$ 55.90
HD03	AV&V, Valve, Exhaust, Head Dia. 1.561", Overall length 3.505", Stem Dia. .3389", Tip Length .155" Black Nitride, Single Groove	1	REPLACEMENT VALVE FOR 900/1000 IRONHEAD SPORTSTER,	\$ 40.90
HD04	AV&V, Valve, Intake, Head Dia. 1.812", Overall length 3.615", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	REPLACEMENT VALVE FOR 900 IRONHEAD SPORTSTER	\$ 55.90

HD05	AV&V, Valve, Intake, Head Dia. 1.940", Overall length 3.615", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	REPLACEMENT VALVE FOR 1000 IRONHEAD SPORTSTER,	\$ 40.90
HD07	AV&V, Valve, Exhaust, Head Dia. 1.750", Overall length 3.830", Stem Dia. .3764", Tip Length .200" Black Nitride, Single Groove	1	REPLACEMENT VALVE FOR PANHEAD/EXH. SHOVELHEAD	\$ 40.90
HD09	AV&V, Valve, Intake, Head Dia. 1.955", Overall length 3.875", Stem Dia. .3770", Tip Length .200" Black Nitride, Single Groove	1	REPLACEMENT VALVE FOR SHOVELHEAD	\$ 40.90
HD10	AV&V, Valve, Exhaust, Head Dia. 1.615", Overall length 4.525", Stem Dia. .3106", Tip Length .200" Black Nitride, Single Groove & up	1	REPLACEMENT VALVE FOR EVOLUTION 1340 - 1984 & UP	\$ 40.90
HD11	AV&V, Valve, Intake, Head Dia. 1.845", Overall length 4.440", Stem Dia. .3108", Tip Length .200" Black Nitride, Single Groove	1	EVOLUTION BIG TWIN & TWIN CAM ALSO GOOD FOR STOCK REPLACEMENT	\$ 40.90
HD12	AV&V, Valve, Exhaust, Head Dia. 1.570", Overall length 4.525", Stem Dia. .3106", Tip Length .200" Black Nitride, Single Groove	1	REPLACEMENT VALVE FOR TWIN CAM,	\$ 40.90
	COMPRESSION RELEASE VALVES	QTY	RELEASE VALVES	INC GST
JCR-10A2	AV&V, Compression Release Valves, Protrusion 1.05", Thread section .350", Thread 10x10MM, Evolution (2 per pack)	2	EVOLUTION (2 PER PACK)	\$ 84.90
JCR-10B2	AV&V, Compression Release Valves, Protrusion 1.38", Thread section .350", Thread 10x10MM, Twin Cam (2 per pack)	1	TWIN CAM (2 PER PACK)	\$ 84.90
JCR-10D2	AV&V, Compression Release Valves, Protrusion 1.25", Thread section .500", Thread 10x10MM, OE Replacement (2 per pack)	2	OE REPLACEMENT (2 PER PACK)	\$ 84.90
	VALVE STEM SEALS	QTY	STEM SEALS	INC GST
V312421-4	AV&V, Valve Seal, Viton, Stem dia. .312", seal section O.D. .421"	4 PACK	EVO, TWIN CAM	\$ 22.00
V312531-4	AV&V, Valve Seal, Viton, Stem dia. .312", seal section O.D. .531"	4 PACK	EVO, TWIN CAM	\$ 22.00
V6MM-4	AV&V, Valve Seal, Viton, Stem dia. 6MM, seal section O.D. 8.5MM	4 PACK	V-ROD	\$ 22.00
V7MM-4	AV&V, Valve Seal, Viton, Stem dia. 7MM, seal section O.D. .562", Double spring	4 PACK	DOUBLE SPRING	\$ 22.00
V7MMOE-4	AV&V, Valve Seal, Viton, Stem dia. 7MM, seal section O.D. .562", OE Replacement (pk of 4)	4 PACK	OE REPLACEMENT (PK OF 4)	\$ 22.00
K312420-4	AV&V, Valve Seal, O.E. Style, Stem dia. .312", seal section O.D. .421"	4 PACK	EVO, TWIN CAM	\$ 22.00
K312530-4	AV&V, Valve Seal, O.E. Style, Stem dia. .312", seal section O.D. .331"	4 PK INT	EVO/TC/IRON HEAD SPORTSTER	\$ 22.00
	VALVE STEM SEALS	QTY	STEM SEALS	INC GST
K341530-4	AV&V, Valve Seal, O.E. Style, Stem dia. .341", seal section O.D. .530"	4 PK EXH	IRON HEAD SPORTSTER	\$ 22.00
K375562-4	AV&V, Valve Seal, O.E. Style, Stem dia. .375", seal section O.D. .562"	4 PACK	PAN & SHOVEL HEAD 1948 - 1979	\$ 22.00
K375625-4	AV&V, Valve Seal, O.E. Style, Stem dia. .375", seal section O.D. .625"	4 PACK	SHOVEL HEAD 1980 - 1984	\$ 22.00
	VALVE GUIDES	QTY	MODEL/YEAR	INC GST

VG5100C	AV&V, Valve Guide, intake, O.D. .5645", I.D. .308", Oversize Std. Overall Length: 1.750"G2 Cast Iron	1	XL 1957 - EARLY 1983	\$ 18.90
VG5101C	AV&V, Valve Guide, intake, O.D. .5655", I.D. .308", Oversize .001" Overall Length: 1.750"G2 Cast Iron.	1	XL 1957 - EARLY 1983	\$ 18.90
VG5102C	AV&V, Valve Guide, intake, O.D. .5665", I.D. .308", Oversize .002" Overall Length: 1.750"G2 Cast Iron.	1	XL 1957 - EARLY 1983	\$ 18.90
VG5103C	AV&V, Valve Guide, intake, O.D. .5675", I.D. .308", Oversize .003" Overall Length: 1.750"G2 Cast Iron.	1	XL 1957 - EARLY 1983	\$ 18.90
VG5200C	AV&V, Valve Guide, Exhaust, O.D. .5645", I.D. .338", Oversize Std. Overall Length: 1.750"G2 Cast Iron.	1	XL 1957 - EARLY 1983	\$ 18.90
VG5201C	AV&V, Valve Guide, Exhaust, O.D. .5655", I.D. .338", Oversize .001" Overall Length: 1.750"G2 cast Iron	1	XL 1957 - EARLY 1983	\$ 18.90
VG5202C	AV&V, Valve Guide, Exhaust, O.D. .5665", I.D. .338", Oversize .002" Overall Length: 1.750"G2 Cast Iron.	1	XL 1957 - EARLY 1983	\$ 18.90
VG5303C	AV&V, Valve Guide, Exhaust, O.D. .5675", I.D. .338", Oversize .003" Overall Length: 1.750"G2 Cast Iron.	1	XL 1957 - EARLY 1983	\$ 18.90
VG5300	AV&V, Valve Guide, intake & Exhaust, O.D. .5660", I.D. .375", Oversize Std. Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5301	AV&V, Valve Guide, intake & Exhaust, O.D. .5670", I.D. .375", Oversize +.001" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5302	AV&V, Valve Guide, intake & Exhaust, O.D. .5680", I.D. .375", Oversize +.002" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5303	AV&V, Valve Guide, intake & Exhaust, O.D. .5690", I.D. .375", Oversize +.003" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5304	AV&V, Valve Guide, intake & Exhaust, O.D. .5700", I.D. .375", Oversize +.004" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5305	AV&V, Valve Guide, intake & Exhaust, O.D. .5710", I.D. .375", Oversize +.005" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5306	AV&V, Valve Guide, intake & Exhaust, O.D. .5720", I.D. .375", Oversize +.006" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5308	AV&V, Valve Guide, intake & Exhaust, O.D. .5740", I.D. .375", Oversize +.008" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5310	AV&V, Valve Guide, intake & Exhaust, O.D. .5760", I.D. .375", Oversize +.010" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5312	AV&V, Valve Guide, intake & Exhaust, O.D. .5780", I.D. .375", Oversize +.012" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5315	AV&V, Valve Guide, intake & Exhaust, O.D. .5810", I.D. .375", Oversize +.015" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90

VG5325	AV&V, Valve Guide, intake & Exhaust, O.D. .5910", I.D. .375", Oversize +.025" Overall Length: 1.900" Manganese bronze	1	SHOVEL & PAN HEAD 1200 (1948 - 1979)	\$ 18.90
VG5400	AV&V, Valve Guide, intake & Exhaust, O.D. .6250", I.D. .375", Oversize Std. Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5401	AV&V, Valve Guide, intake & Exhaust, O.D. .6260", I.D. .375", Oversize .001" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5402	AV&V, Valve Guide, intake & Exhaust, O.D. .6270", I.D. .375", Oversize .002" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5403	AV&V, Valve Guide, intake & Exhaust, O.D. .6280", I.D. .375", Oversize .003" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5404	AV&V, Valve Guide, intake & Exhaust, O.D. .6290", I.D. .375", Oversize .004" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5405	AV&V, Valve Guide, intake & Exhaust, O.D. .6300", I.D. .375", Oversize .005" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5406	AV&V, Valve Guide, intake & Exhaust, O.D. .6310", I.D. .375", Oversize .006" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5410	AV&V, Valve Guide, intake & Exhaust, O.D. .6350", I.D. .375", Oversize .010" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5415	AV&V, Valve Guide, intake & Exhaust, O.D. .6400", I.D. .375", Oversize .015" Overall Length: 1.900" Manganese bronze	1	SHAVEL HEAD 1340 (1979 - 1984)	\$ 18.90
VG5425	AV&V, Valve Guide, intake & Exhaust, O.D. .6500", I.D. .375", Oversize .025" Overall Length: 1.900" Manganese bronze	1	SHOVEL HEAD 1340 (1979-1984)	\$ 18.90
VG5500	AV&V, Valve Guide, intake & Exhaust, O.D. .5625", I.D. .308", Oversize Std. Overall Length: 2.250" Manganese bronze, (stock replacement)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5501	AV&V, Valve Guide, intake & Exhaust, O.D. .5635", I.D. .308", Oversize .001" Overall Length: 2.250" Manganese bronze, (stock replacement)	1	TC/EVO/SPORTSTER	\$ 18.90
	VALVE GUIDES	QTY	MODEL/YEAR	INC GST
VG5502	AV&V, Valve Guide, intake & Exhaust, O.D. .5645", I.D. .308", Oversize .002" Overall Length: 2.250" Manganese bronze, (stock replacement)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5503	AV&V, Valve Guide, intake & Exhaust, O.D. .5655", I.D. .308", Oversize .003" Overall Length: 2.250" Manganese bronze, (stock replacement)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5504	AV&V, Valve Guide, intake & Exhaust, O.D. .5665", I.D. .308", Oversize .004" Overall Length: 2.250" Manganese bronze, (stock replacement)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5525	AV&V, Valve Guide, intake & Exhaust, O.D. .5875", I.D. .308", Oversize .025" Overall Length: 2.250" Manganese bronze, (stock replacement)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5600	AV&V, Valve Guide, intake, O.D. .5625", I.D. .308", Oversize Std. Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90

VG5600S	AV&V, Valve Guide, intake, O.D. .5625", I.D. .308", Oversize Std. Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5600-5S	AV&V, Valve Guide, intake, O.D. .5630", I.D. .308", Oversize .0005" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5601	AV&V, Valve Guide, intake, O.D. .5635", I.D. .308", Oversize .001" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5601S	AV&V, Valve Guide, intake, O.D. .5635", I.D. .308", Oversize .001" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5602	AV&V, Valve Guide, intake, O.D. .5645", I.D. .308", Oversize .002" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5603	AV&V, Valve Guide, intake, O.D. .5655", I.D. .308", Oversize .003" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5604	AV&V, Valve Guide, intake, O.D. .5665", I.D. .308", Oversize .004" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5605	AV&V, Valve Guide, intake, O.D. .5675", I.D. .308", Oversize .005" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5606	AV&V, Valve Guide, intake, O.D. .5685", I.D. .308", Oversize .006" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5610	AV&V, Valve Guide, intake, O.D. .5725", I.D. .308", Oversize .010" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5625	AV&V, Valve Guide, intake, O.D. .5875", I.D. .308", Oversize .025" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5700	AV&V, Valve Guide, Exhaust, O.D. .5625", I.D. .308", Oversize Std. Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5700S	AV&V, Valve Guide, Exhaust, O.D. .5625", I.D. .308", Oversize Std. Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5700-5S	AV&V, Valve Guide, Exhaust, O.D. .5630", I.D. .308", Oversize .0005" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5701	AV&V, Valve Guide, Exhaust, O.D. .5635", I.D. .308", Oversize .001" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5701S	AV&V, Valve Guide, Exhaust, O.D. .5635", I.D. .308", Oversize .001" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5702	AV&V, Valve Guide, Exhaust, O.D. .5645", I.D. .308", Oversize .002" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5703	AV&V, Valve Guide, Exhaust, O.D. .5655", I.D. .308", Oversize .003" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5704	AV&V, Valve Guide, Exhaust, O.D. .5665", I.D. .308", Oversize .004" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90

VG5705	AV&V, Valve Guide, Exhaust, O.D. .5675", I.D. .308", Oversize .005" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5706	AV&V, Valve Guide, Exhaust, O.D. .5685", I.D. .308", Oversize .006" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5710	AV&V, Valve Guide, Exhaust, O.D. .5725", I.D. .308", Oversize .010" Overall Length: 2.100" Manganese bronze,(High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG5725	AV&V, Valve Guide, Exhaust, O.D. .5875", I.D. .308", Oversize .025" Overall Length: 2.100" Manganese bronze, (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
	VALVE GUIDES	QTY	MODEL/YEAR	INC GST
VG6600	AV&V, Valve Guide, intake, O.D. .5625", I.D. .273", Oversize Std. Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6601	AV&V, Valve Guide, intake, O.D. .5635", I.D. .273", Oversize .001" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6602	AV&V, Valve Guide, intake, O.D. .5645", I.D. .273", Oversize .002" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6603	AV&V, Valve Guide, intake, O.D. .5655", I.D. .273", Oversize .003" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6604	AV&V, Valve Guide, intake, O.D. .5665", I.D. .273", Oversize .004" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6605	AV&V, Valve Guide, intake, O.D. .5675", I.D. .273", Oversize .005" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6606	AV&V, Valve Guide, intake, O.D. .5685", I.D. .273", Oversize .006" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6610	AV&V, Valve Guide, intake, O.D. .5725", I.D. .273", Oversize .010" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6625	AV&V, Valve Guide, intake, O.D. .5875", I.D. .273", Oversize .025" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6700	AV&V, Valve Guide, Exhaust, O.D. .5625", I.D. .273", Oversize Std. Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6701	AV&V, Valve Guide, Exhaust, O.D. .5635", I.D. .273", Oversize .001" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6702	AV&V, Valve Guide, Exhaust, O.D. .5645", I.D. .273", Oversize .002" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6703	AV&V, Valve Guide, Exhaust, O.D. .5655", I.D. .273", Oversize .003" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6704	AV&V, Valve Guide, Exhaust, O.D. .5665", I.D. .273", Oversize .004" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6705	AV&V, Valve Guide, Exhaust, O.D. .5675", I.D. .273", Oversize .005" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90

VG6706	AV&V, Valve Guide, Exhaust, O.D. .5685", I.D. .273", Oversize .006" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6710	AV&V, Valve Guide, Exhaust, O.D. .5725", I.D. .273", Oversize .010" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG6725	AV&V, Valve Guide, Exhaust, O.D. .5875", I.D. .273", Oversize .025" Overall Length: 2.040" Manganese bronze, 7MM (High lift, high flow application)	1	TC/EVO/SPORTSTER	\$ 18.90
VG7000	AV&V, Valve Guide, Intake &Exhaust, O.D. .3955", I.D. 5.9MM, Oversize Std. Overall Length: 1.950" Manganese bronze,	1	V-ROD	\$ 18.90
VG7001	AV&V, Valve Guide, Intake &Exhaust, O.D. .3965", I.D. 5.9MM, Oversize .001" Overall Length: 1.950" Manganese bronze	1	V-ROD	\$ 18.90
VG7002	AV&V, Valve Guide, Intake &Exhaust, O.D. .3975", I.D. 5.9MM, Oversize .002" Overall Length: 1.950" Manganese bronze	1	V-ROD	\$ 18.90
VG7003	AV&V, Valve Guide, Intake &Exhaust, O.D. .3985", I.D. 5.9MM, Oversize .003" Overall Length: 1.950" Manganese bronze	1	V-ROD	\$ 18.90
VG8000	AV&V Valve Guide Intake Std Manganese Bronze	1	MILWAUKEE 8	\$ 18.90
VG8001	AV&V Valve Guide Intake Oversize +.001" Manganese Bronze	1	MILWAUKEE 8	\$ 18.90
VG8100	AV&V Valve Guide Exhaust Std Manganese Bronze	1	MILWAUKEE 8	\$ 18.90
VG8101	AV&V Valve Guide Exhaust Oversize +.001" Manganese Bronze	1	MILWAUKEE 8	\$ 18.90
UVG6MM	AV&V, Universal Valve Guide, O.D. .620", I.D. 5.9MM, Overall Length: 2.375" Manganese bronze	1	UNIVERSAL	\$ 18.90
UVG7MM	AV&V, Universal Valve Guide, O.D. .740", I.D. .273", Overall Length: 2.700" Manganese bronze	1	UNIVERSAL	\$ 18.90
UVG308	AV&V, Universal Valve Guide, O.D. .740", I.D. .308", Overall Length: 2.700" Manganese bronze	1	UNIVERSAL	\$ 18.90
UVG341	AV&V, Universal Valve Guide, O.D. .740", I.D. .338", Overall Length: 2.700" Manganese bronze	1	UNIVERSAL	\$ 18.00
UVG375	AV&V, Universal Valve Guide, O.D. .740", I.D. .375", Overall Length: 2.700" Manganese bronze	1	UNIVERSAL	\$ 18.90
	SPRING KITS	QTY	MODEL/YEAR	INC GST
VSK470	AV&V, Spring kit, Double springs, max lift .470", Chromoly retainers	KITS	PAN & SHOVEL HEAD	\$ 198.00
VSK530	AV&V, Spring kit, Double springs, max lift .530", Chromoly retainers	KITS	PAN & SHOVEL HEAD	\$ 198.00
VSK590	AV&V, Spring kit, Double springs, max lift .625", Chromoly retainers	KITS	PAN & SHOVEL HEAD	\$ 198.00
VSK600S	AV&V, Spring kit, Double springs, max lift .600", For 5/16 valve, Chromoly retainers	KITS	TC/EVO/SPORTSTER	\$ 189.00
VSK600T	AV&V, Spring kit, Double springs, max lift .600", For 5/16 valve, Titanium retainers	KITS	TC/EVO/SPORTSTER	\$ 299.00
VSK650S	AV&V, Spring kit, Double springs, max lift .650", For 5/16 valve, Chromoly retainers	KITS	TC/EVO/SPORTSTER	\$ 219.00
VSK650T	AV&V, Spring kit, Double springs, max lift .650", For 5/16 valve, Titanium retainers	KITS	TC/EVO/SPORTSTER	\$ 359.00
VSK675T	AV&V, Spring kit, Double springs, max lift .675", For 5/16 valve, Titanium retainers	KITS	TC/EVO/SPORTSTER	\$ 389.00

VSK6000	AV&V, Spring kit, Beehive springs, max lift .600", For 5/16 valve, Chromoly retainers	KITS	TC/EVO/SPORTSTER	\$ 179.00
VSK6000-7SG	AV&V, Spring kit, Beehive springs, max lift .600", For 7MM valve, Chromoly retainers	KITS	TC/EVO/SPORTSTER	\$ 179.00
VSK6500	AV&V, Spring kit, Beehive springs, max lift .650", For 5/16 valve, Chromoly retainers	KITS	TC/EVO/SPORTSTER	\$ 179.00
VSK6500-7SG	AV&V, Spring kit, Beehive springs, max lift .650", For 7MM valve, Chromoly retainers	KITS	TC/EVO/SPORTSTER	\$ 179.00
VSK7000TG	AV&V, Spring kit, Beehive springs, max lift .580", For Triple Groove valves, Chromoly retainers	KITS	V-ROD	\$ 389.00
VSK7000SG	AV&V, Spring kit, Beehive springs, max lift .580", For Single Groove valves, Chromoly retainers	KITS	V-ROD	\$ 389.00
VSK7000SGT	AV&V, Spring kit, Beehive springs, max lift .580", For Single Groove valves, Titanium retainers	KITS	V-ROD	\$ 639.00
VALVE SPRINGS ONLY		QTY	MODEL	INC GST
S470-4	AV&V, Double Springs, Max Lift .470"	SET of 4	PAN & SHOVEL HEADS	\$ 134.90
S530-4	AV&V, Double Springs, Max Lift .530"	SET of 4	PAN & SHOVEL HEADS	\$ 134.90
S590-4	AV&V, Double Springs, Max Lift .625"	SET of 4	PAN & SHOVEL HEADS	\$ 134.90
S600-4	AV&V, Double Springs, Max Lift .600"	SET of 4	TWIN CAM EVO & SPORTERS	\$ 134.90
S650-4	AV&V, Double Springs, Max Lift .650"	SET of 4	TWIN CAM EVO & SPORTERS	\$ 179.00
S675-4	AV&V, Double Springs, Max Lift .675"	SET of 4	TWIN CAM EVO & SPORTERS	\$ 224.90
S6000-4	AV&V, Beehive Spring, Max Lift .600"	SET of 4	TWIN CAM EVO & SPORTERS	\$ 164.90
S6500-4	AV&V, Beehive Spring, Max Lift .650"	SET of 4	TWIN CAM EVO & SPORTERS	\$ 164.90
S7000-8	AV&V, Beehive spring, Max lift .580"	SET of 8	V-ROD	\$ 245.00
	VALVE SPRING RETAINERS	QTY	MODEL	INC GST
R311CS-4	AV&V, Retainers, Chromoly, (for 5/16 valves)	4 PACK	TWIC CAM EVO & SPORTSTER	\$ 55.90
R311CT-4	AV&V, Retainers, Titanium, Twin Cam, (for 5/16 valves & double springs)	4 PACK	TWIN CAM EVO & SPORTERS	\$ 209.90
R530-4	AV&V, Retainers, Chromoly,	4 PACK	PAN & SHOVEL HEADS	\$ 55.90
R6000-4	AV&V, Retainers, Chromoly, (for 5/16 valves & Beehive Spring)	4 PACK	TWIN CAM EVO & SPORTERS	\$ 55.90
R60007SG-4	AV&V, Retainers, Chromoly, (for 7mm valves & Beehive Spring)	4 PACK	TWIN CAM EVO & SPORTERS	\$ 55.90
R6500-4	AV&V, Retainers, Chromoly, (for 5/16 valves & Beehive Spring)	4 PACK	TWIN CAM EVO & SPORTERS	\$ 55.90
R7000S-8	AV&V, Retainers, Chromoly,	8 PACK	V-ROD	\$ 104.90

R7000T-8	AV&V, Retainers, Titanium,	8 PACK	V-ROD	\$ 409.90
R7MMSGOE-4	AV&V, Retainer & Lock kit for stock Beehive Springs, For 7mm Single or Triple groove valves.	KIT	SINGLE or TRIPPLE	\$ 79.90
VALVE SPRING SHIMS & SEATS/LOCATORS		QTY	MODEL	INC GST
VSS5015-20	AV&V, Valve spring shims, Thickness .015", I.D. .600", O.D. 1.480', Alloy Hardened Steel	20 PACK	EVO/TC	\$ 32.00
VSS5030-20	AV&V, Valve spring shims, Thickness .030", I.D. .600", O.D. 1.480', Alloy Hardened Steel	20 PACK	EVO/TC	\$ 32.00
VSS6022-20	AV&V, Valve spring shims, Thickness .022", I.D. 1.010", O.D. 1.441', Alloy Hardened Steel, TC w/ OE style seals	20 PACK	TWIN CAM (2005 UP)	\$ 32.00
LSC530-4	AV&V, Lower Collars	4	PAN & SHOVEL HEADS	\$ 46.90
LSC600-4	AV&V, Lower Collars (for 5/16 valves)	4	TWIN CAM EVO & SPORTSTER	\$ 46.90
LSC6000-4	AV&V, Lower Collars, (for 5/16 valves & Beehive Spring S6000)	4	TWIN CAM EVO & SPORTSTER	\$ 46.90
LSC6500-4	AV&V, Lower Collars (for 5/16 valves & Beehive Spring S6500)	4	TWIN CAM EVO & SPORTSTER	\$ 46.90
VALVE LOCKS/KEEPERS		QTY	MODEL	INC GST
VL6MMSG-8	AV&V, keepers, for triple groove valves,	8 PAIRS	V-ROD	\$ 96.90
VL6MMTGC-8	AV&V, keepers, for Single groove valves,	8 PAIRS	V-ROD	\$ 96.90
VL7MMSG-4	AV&V, keepers, for Triple or Single groove valves, w/ Beehive springs	4 PAIRS	SINGLE or TRIPPLE	\$ 29.90
VL7MMSGC-4	AV&V, keepers, for Triple or Single groove valves, w/ Beehive springs	4 PAIRS	SINGLE or TRIPPLE	\$ 29.90
VL311A-4	AV&V, keepers, for 5/16 valves, w/ double springs	4 PAIRS	EVO/TC/SPORTSTER	\$ 29.90
VL311C-4	AV&V, keepers, for 5/16 valves, w/ Beehive springs,	4 PAIRS	EVO/TC/SPORTSTER	\$ 29.90
VL375-4	AV&V, keepers, for 5/16 valves, w/ double springs,	4 PAIRS	PAN & SHOVEL HEADS	\$ 29.90
VALVES SEAT INSERTS INTAKE / EXHAUST		QTY	GENERAL INFO	INC GST
AV1630	AV&V, Valve seat insert, Thickness .385", O.D. 1.630", I.D. 1.180", High Chrome Stelle Alloy	1	THICKNESS .385"	\$ 17.95
AV1757	AV&V, Valve seat insert, Thickness .430", O.D. 1.757", I.D. 1.410", High Chrome Stelle Alloy	1	THICKNESS .430"	\$ 17.95
AV1757S	AV&V, Valve seat insert, Thickness .315", O.D. 1.7574", I.D. 1.371", High Chrome Stelle Alloy	1	THICKNESS .315"	\$ 17.95
AV1820	AV&V, Universal Repair Valve seat insert, Thickness .450", O.D. 1.820", I.D. 1.375", High Chrome Stelle Alloy	1	UNIVERSAL	\$ 17.95
AV1880	AV&V, Universal Repair Valve seat insert, Thickness .410", O.D. 1.880", I.D. 1.435", High Chrome Stelle Alloy	1	UNIVERSAL	\$ 17.95
AV1882	AV&V, Valve seat insert, Thickness .410", O.D. 1.882", I.D. 1.530", High Chrome Stelle Alloy	1	THICKNESS .410"	\$ 17.95
AV1944	AV&V, Replacement Valve seat insert, Thickness .400", O.D. 1.944", I.D. 1.575", High Chrome Stelle Alloy	1	THICKNESS .400"	\$ 17.95

AV1945	AV&V, Universal Repair Valve seat insert, Thickness .440", O.D. 1.945", I.D. 1.375", High Chrome Stelle Alloy	1	UNIVERSAL	\$ 17.95
AV2008	AV&V, Valve seat insert, Thickness .440", O.D. 2.008", I.D. 1.610", High Chrome Stelle Alloy	1	THICKNESS .440"	\$ 17.95
AV2040	AV&V, Valve seat insert, Thickness .425", O.D. 2.040", I.D. 1.700", High Chrome Stelle Alloy	1	THICKNESS .425"	\$ 17.95
AV2068	AV&V, Valve seat insert, Thickness .315", O.D. 2.068", I.D. 1.750", High Chrome Stelle Alloy	1	THICKNESS .315"	\$ 17.95
AV2070	AV&V, Valve seat insert, Thickness .460", O.D. 2.070", I.D. 1.610", High Chrome Stelle Alloy	1	THICKNESS .460"	\$ 17.95
AV2132	AV&V, Valve seat insert, Thickness .460", O.D. 2.132", I.D. 1.800", High Chrome Stelle Alloy	1	THICKNESS .460"	\$ 17.95
AV2135	AV&V, Replacement Valve seat insert, Thickness .400", O.D. 2.135", I.D. 1.750", High Chrome Stelle Alloy	1	THICKNESS .400"	\$ 17.95
AV2163	AV&V, Valve seat insert, Thickness .410", O.D. 2.163", I.D. 1.750", High Chrome Stelle Alloy	1	THICKNESS .410"	\$ 17.95
AV2257	AV&V, Universal Repair Valve seat insert, Thickness .500", O.D. 2.257", I.D. 1.550", High Chrome Stelle Alloy	1	UNIVERSAL	\$ 17.95

**NOTE # All prices are subject to change without notice, all 0-stock Items may incurr import shipping and duty fee's.
all prices where correct at time of printing, we advise that you get a quote and check stock at all times.**

PLEASE NOTE ALL PRICES ARE IN AUSTRALIAN DOLLARS.

